

Lateral flow chromatographic immunoassay | Point-of-care | Easiest handling

Cellex qSARS-COV-2 IgG/IgM Rapid Test

The 15-minute ideal diagnostic test
for SARS-COV-2 Viral infections

- Sample: 10µL Serum/Plasma/Whole blood Specimens.
- Fast and Easy to use: 15 minutes per test, easy to recognize results and no equipment needed
- Affordable for different health systems: Test can be used anywhere, no specialized training is required.
- Accurate and reliable results, robust performance.
- Fast results allow physicians to make immediate evaluation in conjunction with CT scans and other tests.



We Are In The Business
Of Saving Lives




Cellex qSARS-COV-2 IgG/IgM Cassette Rapid Test

3 Simple Steps



Step 1:
Add 10µL
sample



Step 2:
Add 2 drops of
sample diluent



Results



Step 3: Read results in
15-20 minutes

Clinical Performance


A total of 378 samples were collected for this clinical evaluation test, of which 128 confirmed positive samples from COVID-19 makeshift hospital and 250 negative samples collected prior to September 2019

		qSARS CoV-2 IgG/IgM Rapid Test				
Clinical Test		IgG+	IgG-	IgG+	IgG-	Sub
		IgM+	IgM+	IgM-	IgM-	
Clinical Status	Pos.	65	46	9	8	128
	Neg.	0	5	4	241	250
Subtotal		65	51	13	249	378


Sensitivity 93.75% (95% CI: 88.06%-97.26%)

Specificity 96.40% (95% CI: 92.26%-97.78%)





Interpretation of Result




NEGATIVE



POSITIVE



INVALID



76 TW Alexander Drive,
Research Triangle Park, NC 27709-0002, USA | www.cellex.us | info@cellex.us
©2019 Cellex inc. All right reserved. Features and specifications are subject to change without prior notice. No reproduction, copy or transmission may

